

Dex-O-Tex Posi-Tred “L” is available in textures varying from essentially smooth to highly aggressive profiling. It’s glossy finish is readily cleanable – however, the method of cleaning is dictated by the profile present.

### Cleaning

Except for the smooth and stipple finishes, mops are not recommended for cleaning purposes. Cleaning is best accomplished using scrub brushes or floor maintenance machines using a soft brush or scrubbing pad. Neutral liquid detergents such as Zep SAFE2DOSE NEUTRAL FLOOR CLEANER are recommended for regular cleaning. When cleaning solution becomes dirty, discard it and mix a fresh solution. For more stubborn soiled surface use Zep HEAVY DUTY FLOOR CLEANER W/FaST or Zep MAGNET for spot cleaning. Do not exceed the concentration recommended by the manufacturer.

### Maintenance

Do not use harsh or abrasive cleaners, as these will mar the finish. Hard to remove dirt and grime (including black heel marks) should be rubbed gently with a scrubbing pad wet with Zep MAGNET. Rinse the floor with clean water.

Floor areas subject to scratching by tracking sand or grit carried in from outside areas should be swept frequently. For areas subject to oily contamination Sweep using Zep SWEEPING COMPOUND HD

Waxing of the surface is not recommended, as this will affect the slip retardance. Areas where this is not a concern may be finished with a clear, water-based floor polish of the type used on resilient flooring.

Promptly clean up all spillage of liquids including oil, grease, etc. Promptly neutralize all acids or strong alkaline liquid spillage as these may strain or physically damage flooring under prolonged contact.

### Common Problems to Avoid

In the event of damage or after a prolonged period of use, it may be necessary to refinish the floor. If so, consult Crossfield Products Corp. or a Factory Trained Applicator for detailed recommendations.



### DEX-O-TEX PRODUCT LINE Crossfield Products Corp.

West Coast Office  
3000 E. Harcourt Street  
Rancho Dominguez, CA  
0221  
310-886-9100  
310-886-9119 fax

East Coast Office  
140 Valley Road  
Roselle Park, NJ  
07204  
908-245-2800  
908-245-0659 fax

[www.dexotex.com](http://www.dexotex.com)